NIGHT OWL

4 PK WIRED COLOR SECURITY CAMERAS
WITH 240 FEET OF CABLE

www.NightOwlSP.com

NIGHT VISION
UP TO 30 FEET[1]

30ft

CONNECTS DIRECTLY TO YOUR DVR

DVR CONNECT

COMPATIBLE WITH ALL NIGHT OWL SYSTEMS

CAM-4PK-CM115

KEY FEATURES

Night Owl CAM-4PK-CM115: 4-Pack Indoor / Outdoor Color Wired Cameras with 30 ft Night Vision and 240ft of Cable

Night Owl's CAM-4-PK-CM115A is a 4 pack of sleek Indoor / Outdoor Night Vision Cameras. Utilizing 400 TV lines of resolution, the cameras produces clear and crisp images during the day, at night the 11 powerful led's produce a night vision image up to 30 feet away in complete darkness. The cameras come packed with a 4 x 60ft of video/power camera cable, power adapter with splitter and BNC to RCA adapters for easy connection to any TV (RCA) or Night Owl DVR (BNC).

Night Vision up to 30 ft in complete darkness

The 4-pk color cameras[2] provide you with a clear, crisp, and enhanced image at 400 TV lines of resolution. The cameras come equipped with 11 infrared LEDs that allow you to see in the darkness, up to 30 feet away![1]

Indoor / Outdoor Housing

The camera housing is specifically designed to be used indoors or outdoors[2]. The camera can withstand temperatures between 0°F and 114°F. Utilizing IP-66 the camera is water and weather resistant.

400 TV Lines of Resolution

The camera has a sharp Color CMOS sensor that produces clear and crisp images at 400 TV lines of resolution. This equates to about 20ft of facial recognition. This is imperative for law enforcement to be able to prosecute the perpetrators.

Connects Easily to your Television (RCA)

The camera easily connects to your TV for instant viewing. This camera comes equipped with a BNC to RCA adapter so you can plug directly into your TV.[3]

Connects Easily to your DVR (BNC)

The camera can also connect directly to your DVR utilizing the industry standard BNC connector. Remember all Night Owl systems are compatible.

Compatible with All Night Owl Systems

All Night Owl cameras are compatible with every Night Owl DVR system. We utilize industry standard BNC connectors on all of our DVR's and cables. If you own a Night Owl DVR you never need to worry if the camera will be compatible.

1 Year Worry-Free Warranty

All Night Owl products come with a 1 year worry-free warranty. For a period of 1 year from the date of sale Night Owl ensures that the product will be free from manufacturing defects and workmanship. In the event that the product is or becomes defective we will replace the unit at no charge.

Lifetime Customer Support

All Night Owl security products come with lifetime customer support via or website www.NightOwlSP.com or by phone 1-866-390-1303

Professional Nationwide Installation Available

Don't feel like installing the system yourself? Let InstallerNet do the work for you. Call our installation service department at 1-800-806-5513 and we will give you a quote right over the phone and come out and install everything for you. (This is an optional service, fee's will apply)

NIGHT OWL

4 PK WIRED COLOR SECURITY CAMERAS
WITH 240 FEET OF CABLE

Camera

IMAGE SENSOR	1/4" COLOR CMOS
TV LINES OF RESOLUTION	400 TV LINES
NUMBER OF LED'S	11
LENGTH OF NIGHT VISION(1)	UP TO 30 FEET
LENS TYPE	6.0mm (42° FIELD OF VIEW)
WEATHERPROOF RATING(2)	IP-63 (WEATHERPROOF)
LENGTH OF CABLE	60 FT PER CAMERA
SIGNAL	NTSC
S/N RATIO	>48DB
MINIMUM ILLUMINATION	0 LUX
EFFECTIVE PIXELS	510 * 492
POWER CONSUMPTION	130MA NO IR & 300MA WITH IR
POWER SUPPLY	DC 12V
OPERATING TEMPERATURE(2)	0° F - 120° F
DIMENSIONS	TBD
(CAMERA ONLY) L*W*H	2.0" X 3.0"X 2.0"

Package Information

MODEL#: CAM-4PK-CM115
CASE PACK: 1
PACKAGE DIMENSIONS: 10.5" X 3.3" X 17"
N.W.: 7.5LBS
COUNTRY OF ORIGION: CHINA
SELL UPC: 8-41808-01067-5

Package Contents

1x CMOS Camera with 24 LEDs and 45 Feet Night Vision
4x 60 Feet Video/Power Cables
4x BNC to RCA (Male) Connectors
3x Night Owl Security Stickers
12x Mounting Hardware and screws
1x 4-Way Camera Splitter
1x Camera Power Adapter

Indoor / Outdoor Housing

Night Vision up to 30 Feet

(1) Night vision range up to 30ft under ideal conditions. Objects at or beyond this range may be partially or completely obscured, depending on the camera position.
(2) Do not recommend using the cameras in temperatures below 0° F or above 120°F.
(3) Requires DVR or quad splitter (not included).